STATE OF MONTANA.

Concern of the advance.

The concentration of the advance of t

¥	3

	- 54	Social	Form-State	Publishing	Ca.	Helena.	Montana-39318
--	------	--------	------------	------------	-----	---------	---------------

h:ng	Co.	Helena.	Montana39318	300000	•
T	5 4 -		FL.		

File No.....

DUPLICATE

CountyStoad Jat ic

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

DE (1963)

Notice of Completion of Groundwater Appropriation Without Well STATE ENGINEER

Under Chapter 237 Montana Session Laws, 1961

	Date of Appropriation of Groundwater Spineto 1-30
	Owner Address founsency ontana
	Contractor (if any)
	Address of Contractor
	Date Started Date Completed
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	•
	water when applicable
- · · · · · · ·	
	•
	Quantity of water eveloped and used with explanation of method used to measure or estimate such amount. If use is intermittent
	estimate approximate lengths of periods of use
	10 10 18 indhus at continuous flow is produced which ter
indicate point of appropriation and place of use, if possible.	es summer wears on and as dry season sets
	Signature of Owner
	Date

This form to be prepared by contractor if any, otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

72726
STATE OF THE STATE OF THE

•

File No.

DUPLICATE

 $\sigma \mathbf{w}$

T SN R IVV
County BRCADWATER

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

1	Name of Appropriator	of Box 196 Atins ton (Address) + (Town)
h:	ounty of Curativater according to appropriated groundwater according to the control of the contr	State of January 1, 1962, as follows:
<u></u>	N	2. The beneficial use on which the claim is based. stock
		3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930. Continuous use
۲		
		4. The amount of groundwater claimed (in miner's inches or gallons per minute) IVCI INEASURED
		5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
14	Sec. 9 T. SNR. W	
indi		
\mathbf{nd}	eate point of appropriation place of use, if possible. Each II square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
ind rna.	place of use, if possible. Each II square represents 10 acres. The date of commencement and com drawal of groundwater	tion of each well or other means of withdrawal
rna.	place of use, if possible. Each il square represents 10 acres. The date of commencement and com drawal of groundwater The depth of water table	tion of each well or other means of withdrawal
ind ma.	The date of commencement and com drawal of groundwater The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for with-
nd ma	The date of commencement and com drawal of groundwater The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal specifications of any other ter
nd ma	The date of commencement and com drawal of groundwater The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal specifications of any other ter
7.	The date of commencement and com drawal of groundwater The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal specifications of any other ter
7. 8. 9.	The date of commencement and comdrawal of groundwater The depth of water table So far as it may be available, the tyworks for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal size and depth of each well or the general specifications of any other ter SPRING withdrawn each year NOT MEASURED
7. 8. 9.	The date of commencement and comdrawal of groundwater The depth of water table So far as it may be available, the tyworks for the withdrawal of groundwater	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal size and depth of each well or the general specifications of any other ter SPRING withdrawn each year NOT MEASURED
7. 8. 9.	The date of commencement and com drawal of groundwater The depth of water table So far as it may be available, the ty works for the withdrawal of groundwater The estimated amount of groundwater The log of formations encountered in	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal and depth of each well or the general specifications of any other ster. The withdrawal each year NCT MEASURED the drilling of each well if available NCT ANOVA the drilling of each well if available NCT ANOVA the drilling of each well in carrying out the policy of this act, including each proof.
7. 8. 9.	place of use, if possible. Each ill square represents 10 acres. The date of commencement and commencement a	tion of each well or other means of withdrawal spletion of the construction of the well, wells, or other works for withdrawal size and depth of each well or the general specifications of any other ster. SPRING withdrawa each year NOT MEAS URLD the drilling of each well if available NOT KNOVY tature as may be useful in carrying out the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Approved Stock Com-State dunishing Co., Helena, Montaga (4752)	30 ³
T	
County	

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

File No.....

DUPLICATE



Notice of Completion of Groundwater Appropriation Without Well

·Under Chapter 237 Montana Session Laws, 1961

			Date of Appropriation of Groundwater
			Owner Bort & Borths Cobban Address. Minsten, Fontana
			Contractor (if any)
			Address of Contractor
			Date Started Date Completed
	:	N .	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	X		water when applicable.
	. • • • • • • • • • • • • • • • • • • •	~-	
w			F
			Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermitten
	<u></u>		estimate approximate lengths of periods of use
nel/i	↓ gw . ¹ 4 Sec		
	Indicate point and place of use	of appropriation e. if possible.	12 months of year
			Signature of Owner
			Date

This form to be prepared by contractor if any , otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

•

. .

6 , ,	Approved Stock Form-State	Publishing Co., Helena, Montana—39518
File No	į "i	T
DUPLICATE	,	County Speadwater
•	STATE OF MONTANA	D 3 4 2 4 2 1

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation EER Without Well

(Under Chapter 237 Montana Session Laws, 1961

		Date of Appropriation of Groundwater
		Owner Address Address
		Contractor (if any)
		Address of Contractor
		Date Started Completed.
N		Describe means of obtaining groundwater without a well "has by sub-irrigation and other natural processes". Include depth to
		water when applicable. I was in the
		The second of th
		Li e dunase de l'en empresana 10°00° et mil Cae. 1.
		E for
	t two sections	o al la calega de la garación a política de apriligiorizada de la garación de la garación de la garación de la Companya de la garación de la
		Quantity of water developed and used with explanation of melion and in used to measure or estimate such amount. If use is intermittent Sec. 15
		estimate approximate lengths of periods of use
		The state of the state of the
Indicate point of and place of use.		artypein season,
		Signature of Owner
		Date 122.12.12.12.12.

This form to be prepared by contractor \circ if any , otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriater.

W 3		olishing Co., Helena, Montana—39318
File No	\mathcal{H}	T_3N R1-74
DUPLICATE	/ '	County Broadwater
•	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER OFFICE OF STATE ENGINEER	CODE DEC 27 1963
Notice of C	Completion of Groundwater	Appropriation INEER

	WITHOUT WEIL
(Under C	Chapter 237 Montana Session Laws, 1961)
	Date of Appropriation of Groundwater Rior to 1.30 A. Paul Hahn and Owner. Dorotty Address Townsand, Montana
	Contractor (if any)
	Address of Contractor T/a appropriator's purchased Date Started ranca Date Completed
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
See G. B. K. Indicate point of appropriation and place of use, if possible.	water when applicable of and \$3 and springs originating on the Market of No. 11 7. 2 M. 2 1 7. 3 pring \$1 has been sharped and improved and the flow is diverted into irrigational attaches used to irrigate the NZ/SE of said Sec. 8. What a spring me natural flow of which has been improved and a spring me natural flow of which has been improved and a said and used for impostic and garden uses. It is a spring originating on ferromal forest land immediately westerly of said Sec. 15, the changel from which flows unto the Market Sec. 15 of Sec. 15 to Quantity of water developed and used with explanation of method fland in used to measure or estimate such amount. If use is intermittent Sec. 1 estimate approximate lengths of periods of use.
	Signature of Owner Date December 26, 1.63

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

()

-	
	•

Dil.	No	
rue	.10	

DUPLICATE

T_3N_R_1/

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation NEER Without Well

Under Chapter 237 Montana Session Laws, 1961

			Date of Appropriation of Groundwater FROF to 12 30
			r. Fath Henn duc
			Owner
			Contractor (if any)
	ن در		Address of Contractor Date Started Date Completed
	× N		Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	-		water when applicable. Including referred to here are improve-
#* .			rymmys. The measurement of activation of each spring are unlarged watering bolds for watering stock. At springs I and I have have the used and installed. Each
n.			en many processors as a source measure 15 miner's enches which is and throughout the spring, summer and fell for watering
3			Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	<u> </u>		estimate approximate lengths of periods of use
	12 Sec. 1	T R	
	Indicate point of and place of use.		
			Signature of Owner Date 2222
			LIGHT

This form to be prepared by contractor lif any, otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Burenu o. Mines and Geology and Quadruplicate for the Appropriator.

7, 725


And The OF Section of the Section of

6 w 2			Approve	d Stock For	rm—State Publish	ing Co., Helena,	Montana—4564	2 <u>3</u> 65
Fle No.	19				ТТ	2. X R.	1.	
DUPLIC	ATE				Cou	nty_Bros	drater	
	LOG		4 TSMTXTCT		OF GROU		COBP	
	Top of Ground				F STATE E		OODE	
	(Elev. above sea level. 4300		ice of C Appropr	iation		eans of	Well	er
-5	fop soil & brocken rec	k	Under Chap					
-	Broken rock (gray)	OwnerROI	ERT CCB	30N	lddre	· VII	ton, H	Detaka
29	Seam in rock (water)	Driller Barre	n Dr4114	ing. 4	Pumptddre	ss. Batto .	Fontan	3
-		Date of Notic	e of appropr	riation o	i groundwat	erKov	, 30 L	968
49	Gray Rock	Date well sta	rted	19,	1968-Date	completed.	iov. 30	, 1968
- 1	bettem	Type of well.	Drill				n drill, rotar	
		Water use:	Domes Industr	tie 🍱	Municipal [Drainage [☐ Sto		rigation [
			on the diagra	am the c	harneter and	i thickness	of the diffe	
-		met with in o depth at which strata and he	ch water is e	neounte	red, thicknes	s and chara		
_		Size of Drilled	Size and Weight	Frota (Feet)		Pi	ERPORATIONS	
-		Hole 6 in.	of Casing	0 11	291	Kind Size	From (Feet)	To (Feet)
- 1			•			tarch	25 *	281
						00.02		
- 1								
-				erro di serro di ser				
_			N :		Static War	ter Levet i		wing wellfeet.
_					Shut-in Pre			
- 1				Ì	Pumping V	Vater Level		
_		w		—— E	Discharge i		min. of flo	owing well
<u> </u>					How Tester	Dele	# ±	
-					Length of		1 bro	
-			5			Gravel pack		
1-		AG. IG.	13 T 8N I	K 1 5	ers, type of			
		Indicate location place of use.	if possible.	Each		ing out rock at		
_		smail squar acres.	e epresent	s 4 0				************
-							nue on res	
		USE—If use number tion :	el for irriga er of acres at	tion, in	dustrial. dr	ainage or c	ther. Exp	plain, state
-				••••		······	**********	
	Show exact depth of bottom.						************	
	•				****			

This form to be prepared by driller, and three copies to be filled by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

No. 179 Driller's License Number



STATE of MONTANA / SS.

bereaty serting that the within instruction and also fined or record in may of the arrangement of the arrang hereby pertury that the within in-

.7W *	Approved Strok First-State Published	no C. , elefena, Minorana (42262)
File No	T.	SK R IW
DUPLICATE	C	ounty Ereadors on 7 7
	STATE-OF MONTANA ADMINISTRATOR OF GROUND WATER COI	<u>لا</u> 4
	OFFICE OF STATE ENGINEER	HE ENGINEER
		-

Notice of Completion of Groundwater Appropriation Without Well

Under Chapter 237 Montana Sessien Laws, 1961

	Ownedan Diehl Address Vinston
	Contractor (if any)none
	Address of Contractor
	Date Started 0 Date Completed 9
×	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicabledeveloped spring
x	
	F.
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	3 miners inch-stock water estimate approximate lengths of periods of use year around
A. L. Carlo Sec. T. A. R. 22	periods of usegima
ndicate point of appropriation nd place of use, if possible.	
proceeding to possible.	
	Signature of Owner Land Court for the Signature
	Date

This form to be prepared by contractor if any , otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: displicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruclleate for the Appropriator.


29th 43

Madin with and there

√M ·

DUPLICATE

File No.....



STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CUDE OFFICE OF STATE ENGINEER

ATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Under Chapter 237 Montana Session Laws, 1961

	Date of Appropriation of Groundwaternct applicable
	Owner Diehl Address Winston
	Contractor (if any)
	Address of Contractor
	Date Started Date Completed
8	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable Return Reprings
x	F
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
SE.	stock spring 2-4 miners inches yearly estimate approximate lengths of periods of use
Indicate point of appropriation and place of use, if possible.	
	Signature of Owner albert Duhl Date Dec = 7-63
	Date 12 - 63

This form to be prepared by contractor if any otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Marin ber 63

Then 1112 me of thing of the state of the s

County Broadwater Two. 8N Rge. 1E

Sec.	Name of Appropriator	Type of Form	County File No.	Acmarks
1	murfitt, walter	5 W 3	81113	
4	Danis, Leslie	1959		
5	Davis, Leslie	GW-2	69511	
6	lidle, A.W + A.N.	6W4	70778	
6	Johnson, Wayne	GW2	80512	
6	mae, Willow	6W2	80668	
6	Tepp Paul F.	5W2	80601	
6	whitehead, Willard	GW2	81035	
8	Diell, A.W. + A.N.	GW3	70773	
9	muslitt Walter	GW3	81114	
9	munflett, walter, + Reynelds, Lu	GW3	81112	
2i	Diel allest	GW3	70770	
26	United States of America.	5W4	70717	
3/	Diell Albert	GW3	70775	
	,		! 	
			1	
		i		
		i		
<u></u>		•		
<u> </u>				
<u> </u>				
-			<u> </u>	
		 	:	
-		•		
}		 	+	,
<u> </u>		 		
			-	
<u> </u>		+		
	<u> </u>	:		
-				
<u>:</u>		 	· · · · · · · · · · · · · · · · · · ·	<u> </u>
<u> </u>				<u> </u>
<u> </u>				
!		·		·
		·	ļ	

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions, if not applicable, so state, otherwise the form may be returned.

	0	meralter	Murffitt	Les Reynolds
For Administrator's Use	Ad	Box 114 dressdelena,		P. 0. Box 972 lielena, Montana
File	Cor	ntractor (if any)		
	Ad	dress of Contract	tor	
GW 1	Dat	te Started	Date	Completed
	τ.	Describe means	of obtaining gro	oundwater (as by sub-irrigation,
		developed sprir	ng, drains, etc.)	Developed Spring
N		•		
	2.		-	avity, pump, canal, etc.)
		gravity		
X E	3.	Depth of water	r table3	
	4.			c-i-rigation
	5.			d (in miner's inches or gallons
		-		- -
07/ 1/4 NC 1/4 Sec. 3		*************		
7. 8 4 N R. 1 5 E	6 .	If used for irr	igation, give nur	mber of acres and description
S N		of land 100.	HCL88	
INDICATE POINT OF APPROPRIATION		SWE of NET		
AND PLACE OF U.E, IF POSSIBLE. Elevation of spring, if known or esti-	7			inge 1 E each year
mated levation entireted	,.			
	€.			Dinoca - 3-22
			cutte	May st
	S	ignature of Own	- See	Signous
		Da	ie June 27, I	973

STATE of MCN. The St. Country of Broadwall and Thereon Derivation of the Strument was the Strument of the Stru

		:
T	3	
7		
County 373	3 3	

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG

	Owner.	lia Darria:	5		Address	instan.	lontana
	Driller	e i lyndsa	1 · ·		. Address		parana
	Date Started	iaptamie	- 1353		. Date Com	pleted	Dem 1959
	Location: Sec.	Т		R - 4	sec		
Type of well	Dug, driven, bored	i. or drilled;	Equi	pment used	Churt	orali, rotary, ot	her)
Water use: Domestic		Municipal		Stock		Irrigation	
Industrial		Drainage		Other:			
Casing:	_ft. to332	ft.	Туре		Size	Tagair mar minim	
Casing:	_ft. to	ft.	Туре		Size		***************************************
Casing:	_ft. to	ft.	Туре		Size		
Perforated or Screened	: Ft	to ft.	* #		* - *	to ft	
Type of screen or perfor	ntions		<u>labhas i</u>	7.0 - 7/2 3	rehudie.		
Static Water level, for n	ion-flowing well	:ippro	z incolu	**	· - · · · · · · · · · · · · · · · · · ·		feet
Shut-in pressure, for flo	owing weil:	,		b. sq. in. on:		(date)	*******************
Pumping water level		fee	tat			•	*****
How tested:	*****						*******************************
Length of test				· · · · · · · · · · · · · · · · · · ·			
Remarks: (Gravel pac	king, cementing	g. packers,	type of shi	ut-off, depth	of shut-off)	
				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			************
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		التفهيد ليلو			······	
		*********	****				พ.ศ. พ.ศ. พ.ศ. พ.ศ. พ.ศ. พ.ศ. พ.ศ. พ.ศ
						, *****	
		· · · · · · · · · · · · · · · · · · ·				• -	
			(OVer)				A PARELA



Log of Well

₹og of Well					
Depth.	feet				
From	To	Description of Material Drilled			
-					
		loose plan, mayel, some plan			
	35	Firm plan, bound gravel notifum size			
35		Thallow alternate strates of tight and firm clay count gravel			
	192	Temporight clam bound gravel			
		The second of th			
	222				
200		Term tifnt plan hound gravel			
		The same of the sa			

GW:	Approved Shook From-State Publishing Col. Heiera, Montany-1948
File No.	Γ
DUPLICATE	County
Top of Ground	STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER
(Elev. above sea level	Alutin of Completion of Comments at
	Appropriation by Means of Well
	Under Chapter 237, Montana Session Laws, 1961)
The set Brown love in et it	Owner Address
Torre same	Driller Eckhert Heck Address Harlanton Montance
30 L	Date of Notice of Appropriation of Groundwater
	Date well started how 16 Date Completed 1020 19
- yellow clay and thou	Type of well boulded Equipment Used Cable Fred
, 3	(dug, driven, bored or (Churn, drill, retary or
2 maril	drilled) other) Water Use: Domestic □ Municipal □ Other □ Irrigation □
	Industrial Drainage C Stock S
- wellow day and Porc	Extinction on the diagram the character and thickness of the different
- Corane	strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-
	bearing strata and height to which water rises in the well.
- Fryst tray - Lichard	Size of Size and From To PERFORATIONS Drilled Weight of Feet) (Feet)
Leight Shown Lieu and Rock	Hole Casing To Size (Feet)
	14. Ch. 120 60 80
	2 430
Butomof How 230 per si	ter the second
-	
N	Static Water Level for non-flowing Well 90 feet.
	Shut-in Pressure for Flowing Well
	Pumping Water L vel. 20 feet at 2/gal, per minute.
-	
- w	Discharge in gal. per min. of flowing well. How Tested Ballia. Length of Test. 3 Haurk
-	How Tested Length of Test / 1/25 22
	tion of place of use of groundwater if not at well, and any other similar pertinent information, including number of
	aeres indigated, if used for irrigation
- VIII Sec - T IV R	
	and ach
small square represents 10 ac	the control of the co
Show exact depth of bottom.	briller's License Number
	Cilvet HECK
	The Driller's Signature release Leaves

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the Stare Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

STATE OF HONTAXA) = ...

Country Draw mater.

There are a series of the series of the

DOPLICATE

and the state of t

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights- THER Under Chapter 287, Montana Session Laws, 1961

Name of Appropriator		of Xinston Address	Town
County of Broadwater		State of Montana to the Montana laws in effect prior to Ja-	
have appropriated groundwater accor	rding	to the Montana laws in effect prior to Ja-	nuary 1, 1962, as fellows:
N			
·	•	The beneficial use on which the claim is be	Lse.1
		household & stock	
	3.	Date or approximate date of earliest bene	
		tinuous the use has been	
E SE		not applicable	
**			
	4.	The amount of groundwater claimed in	
		per minute)1000	

	5.	If used for irrigation, give the acreage and	
s		to which water has been applied and na	
Sirk Mil		gardens & lawns	********************************
But Gee Gee T. OR BES			
Indicate point of appropriation and place of use, if possible.			
Each small square represents 10	ñ.	The means of withdrawing such water i	
teres.		location of each well or other means of v	
		- Parps	
7. The date of commencement and com	pletio	on of the construction of the well, wells,	or other works for with-
drawal of groundwater.		THETOTOTOTOTO	,
drawal of groundwater		r. abbricacta	
	****		*********************************
	****	-55 feet	*********************************
S. The depth of water table	to		
S. The depth of water table	ype, s	size and depth of each well or the general s	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground	ype, s lwater	size and depth of each well or the general section 1. drilled well 80 ft 67 ca	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground	ype, s lwater	size and depth of each well or the general s	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground	ype, s lwater	size and depth of each well or the general section 1. drilled well 80 ft 67 ca	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked	O-to ype, s lwater	size and depth of each well or the general size and defilled well 80 ft 67 ca	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked	O-to ype, s lwater	size and depth of each well or the general section 1. drilled well 80 ft 67 ca	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwa.	Ype, s lwater 3 to	size and depth of each well or the general size and depth of each well size and depth of each size and	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground 10. The estimated amount of groundwall. The log of formations encountered	Orto Ype, s lwater ter w in the	size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size and depth of each well if available	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground 10. The estimated amount of groundwall. The log of formations encountered	Orto Ype, s lwater ter w in the	size and depth of each well or the general size and depth of each well size and depth of each size and	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwall. The log of formations encountered.	Orto Ype, s lwater ter w in the	size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size and depth of each well if available	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwall. The log of formations encountered not applied	Ype, slwater later win the	size and depth of each well or the general size and depth of each well or the general size and depth of each well or the general size and depth of each well if available	specifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwall. The log of formations encountered not applicately. 12. Such other information of a similar	Ype, siwater win the	size and depth of each well or the general size and depth of each well or the general size and depth of each well as applicable drilling of each well if available as may be useful in earrying out the mo	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwall. The log of formations encountered not applicately a	Ype, siwater win the cable	size and depth of each well or the general size and depth of each well or the general size and depth of each well as ft. 60 cast the find applicable drilling of each well if available as may be useful in carrying out the moreover.	iley of this act, including
9. So far as it may be available, the tworks for the withdrawal of ground rocked 10. The estimated amount of groundwall. The log of formations encountered not applications of a similar reference to book and page of any contents.	ype, siwater with the water wind the water would be water with the water with the water with the water with the water water with the water	size and depth of each well or the general size and depth of each well or the general size and depth of each well as applicable drilling of each well if available as may be useful in earrying out the mo	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground to the stimated amount of groundwall. The log of formations encountered not applicately. 12. Such other information of a similar reference to book and page of any contents.	ype, siwater with the water wind the water would be water with the water with the water with the water with the water water with the water	ithdrawn each year not applicable drilling of each well if available each year not applicable as may be useful in carrying out the porce.	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground 10. The estimated amount of groundwa 11. The log of formations encountered not applicately applica	ype, siwater with the water wind the water would be water with the water with the water with the water with the water water with the water	ithdrawn each year not applicable drilling of each well if available each year not applicable as may be useful in carrying out the porce.	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground 10. The estimated amount of groundwa 11. The log of formations encountered not applicately applica	ype, siwater with the water wind the water would be water with the water with the water with the water with the water water with the water	ithdrawn each year not applicable drilling of each well if available out applicable so may be useful in carrying out the porceout.	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground 10. The estimated amount of groundwa 11. The log of formations encountered not applicately applica	ype, siwater with the water wind the water would be water with the water with the water with the water with the water water with the water	ithdrawn each year not applicable drilling of each well if available out applicable so may be useful in carrying out the porceout.	ipecifications of any other
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwa. 11. The log of formations encountered not applicately applicatel	Ype, siwater win the sable	ithdrawn each year not applicable drilling of each well if available of applicable second. Signature of Owner	ing of this act, including
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwa. 11. The log of formations encountered not applicately applicatel	Ype, siwater win the sable	ithdrawn each year not applicable drilling of each well if available out applicable so may be useful in carrying out the porceout.	ing of this act, including
9. So far as it may be available, the tworks for the withdrawal of ground rocked. 10. The estimated amount of groundwa. 11. The log of formations encountered not applicately. 12. Such other information of a similar reference to book and page of any or located.	YPP. Salwater Ler w in the	ithdrawn each year not applicable drilling of each well if available of second record. Signature of Owner. Date. Date.	iley of this act, including
9. So far as it may be available, the towerks for the withdrawal of ground rocked. 10. The estimated amount of groundwa. 11. The log of formations encountered not applicately. 12. Such other information of a similar reference to book and page of any or located.	YPP. Salwater Ler w in the	ithdrawn each year not applicable drilling of each well if available of applicable second. Signature of Owner	iley of this act, including

T.775

The man Thomas

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravet, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

Lot

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

LTT . COTAGA / 7 1 UCENSE NO...

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of Ground (Eier, above sea level)
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.	From To (Feet)
Please answer all questions. If not applicable, so state, otherwise the	0': 1" to: .o:1
form may be returned.	
	1 15 15 Tomlions to smayor
Owner For Administrator's Use	
	150 Inf orfact taker
Address File 805/2	III 12 Temported gravel
Dec 2,1972 9:25 am.	
DEC. 1,177 1,330m	321 331 sand, gravel some
Date well startedGW 1	xater
completed	25' 44 sandy clay
Town of well	AA' 48 sand, cravel water
Type of well	
Equipment used	
(Churn drill, rotary or owner)	
Water Use: Domestic 📑 Municipal 🚍 Stock 🚍 Irrigation 🚍	
Industrial 🗀 Drainage 🗍 Other 📑 🕆 Garden Lawn 🗍	
*Describe	
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block	
and Addition).	
ESTIMATED ANNUAL WITHDRAWAL	
ESTIMATED ANNUAL WITHDRAWAL	1
Size of Size and From To Drilled Weight (Feet) (Feet) PERFORATIONS	
Drilled Weight (Feet) (Feet) PERFORATIONS Hole of Casing Kind From To	
Drilled Weight (Feet) (Feet) PERFORATIONS Hole of Casing	
Deilled Weight (Feet) (Feet) PERFORATIONS Hole of Casing Kind From To	
Deilled Weight (Feet) (Feet) PERFORATIONS Hole of Casing Kind From To	
Drilled Weight (Feet) (Feet) PERFORATIONS Kind From To Size (Feet) (Feet)	
Drilled Weight (Feet) (Feet) PERFORATIONS Kind From To Size (Feet) (Feet)	
Drilled Weight (Feet) (Feet) PERFORATIONS Kind From To Size (Feet) (Feet)	
Drilled Weight (Feet) (Feet) PERFORATIONS Kind From To Size (Feet) (Feet)	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet)	
Drilled Hole of Casing (Feet) (Feet) PERFORATIONS Kind From To	
Drilled Hole of Casing (Feet) (Feet) N Static water level ft. Pumping water level ft. at a gallons per minute measured minutes after pumping began. **Measured from ground level.** We developed by I for two hours. Power Pump HF	
Drilled Hole of Casing Feet) Feet) Feet) From To	
Drilled Hole of Casing (Feet)	
N Static water level ft. Pumping water level ft. Pumping water evel ft. Pumping water evel ft. Pumping water evel ft. Pumping water evel ft. We agailous per minute measured minutes after pumping began. "Measured from ground evel. We developed by I for two hours. Power Pump. HF Remarks: Gravel packing, sementing packers, type of shutoff) Two Foot plunt in	
Detilled Hole of Casing (Feet) (Feet) N Static water level ft. Pumping water level minutes after pumping began. **Measured from ground level.** We developed by I for two hours. Power Pump. HF Remarks: Gravel backing, cementing packers, type of snutoff) Two Soot plug in	
PERFORATIONS N Static water level ft.	
PERFORATIONS N Static water level ft.	
N Static water level Pumping water level Pump	
Drilled of Cusing N Static water level Pumping began. Measured from ground level. We developed by T We developed by T Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff)	
Drilled Hole of Cooling (Feet) (Feet) N Static water level Freet) Pumping water level Pumping water level Pumping began. **Measured from ground level.** We developed by I for two hours. Power Pumping begans. **Measured from ground level.** We developed by I for two hours. Power Pumping begans. **The Remarks: (Gravel backing, sementing backers, type of snuroff) **The N R. 1	
Drilled of Cusing N Static water level Pumping began. Measured from ground level. We developed by T We developed by T Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff) Power Pump HF Remarks: Gravel backing, sementing backers, type of shutoff)	

3frow exact depth of bottom

30512 Sachuson Wayne R.

Siember A. O. 19 72 at 25 min cast 9

Siember & Styrieter

Stances Styrieter

County Secorder

Deputy

Deputy

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

Elev apove sea level\

Tab of Ground

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

/11- X	Ch	027		C!		-		amended
(Undar	Cuspier	23/	EDETHOM	Jession	Laws.	1701.	25	amendedi

This form to be prepared by driller, and three copies to be filed

Eutte, Contana 39701 LICENSE NO.?

by the owner with the County Clerk which the well is located, last copy	and Recorder in the county in to be retained by driller	0 ' 20' Hand dug
Please answer all questions. If not ap form may be returned.	· · · · · · · · · · · · · · · · · · ·	
	The residence to the second se	20' 35' Clay, sand, some water
Owner Willard Hoe	For Administrator's Use	35' 43' Clay, sand, gravel
Address Winston, Montana 59647	File 89468	43' 45' Sand, grayel, water
	- Zelo . 3. 1973.	
Date well started 12/31/72	GW: 16.46 4 111.	
completed 12/31/72		
Type of wellDrilled	Dug. driven, bored or drilled)	
Equipment used Churn drill	·	
Water Use: Dornestic 🕦 Municipal	Chum drill, rotary or other) Stock Thrigation The stock Thrigation	
industrial 🔲 Drainage 🗍	Other (1)* Garden: Lawn 🕱	
mooning Dramage	Officer Garden/Lawn &	
*Describe		
USE: If used for irrigation, industrial state number or acres and location	l, drainage or other. Explain, on or other data (i.e. Lot, Block	
and Addition).		
ESTIMATED ANNUAL WITHDRAWAL .	36.5 000 Jul	
Size of Size and From To Drilled Weight (Feet) (Fee	D PERFORATIONS	
Hole of Casing	Kind From To	
6" 6 5/8 od		
x .250 ≠ 0' 45'	Cutting torch 35' 45'	
	COLCIA 33 43	
N		
	Static water level 8 ft. Pumping water level 40 ft.	
	at 12 gailons per minute	
, , , , , , , , , , , , , , , , , , , ,	measured minutes after pumping	J
	began. "Measured from ground level.	
,	Well developed by bailing fo	r wo hours.
	far hours.	
	Power Pump H	
	Remarks: (Grave) packing, cementing pankers, type of shutoff)	
NW1. Sw. Sec. 6		
NW Such Sec. 6		
T 5 N R		
INDICATE LOCATION OF WELL AND	A BLACE OF USE OF BOSTIST	
INDICATE LOCATION OF WILL AND EACH SMALL SQUARE REPRESENTS A		
Driller's Signature 2 Recife Co	ntracting Company	
Driller's Address 2804 Harva:		<u> </u>

_______Show exact depth of bottom

Driller's Address

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

APPROPRIATION BY MEANS OF WELL

County Broadwater

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and neight to which water rises in well.

Developed after January 1, 1962 (Under Chapter 237 Montana Session Laws, 1961, as amended) Top of Ground Eler. above sea levell ____ This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in From To which the well is located, last copy to be retained by driller. Cannot tell what Please answer all questions. If not applicable, so state, otherwise the form may be returned. Is inbetween as I Owner Paul P. Tepp was-not-hero-when For Administrator's Use JUGGL Address 177 File this well was dug. Jan 10, 1973 insten, Montans GW 1 16.16 12.17. 59647 Date well started 1890 completed 1890 Equipment used ...Pick, shovel and bar (Churn drill, rotary or other) Water Use: Domestic 🙀 Municipal 🗌 Stock 🗀 irrigation 📃 Industrial 🗌 Drainage 🗍 Other 📑 Garden Lawn 🚍 USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). ESTIMATED ANNUAL WITHDRAWAL PERFORATIONS Rock 01 701 Static water level Pumping water level g,ft.* at 24 gallons per minute, at 25 measured minutes after pumping began. *Measured from ground level. Well developed by haping for hours. Fower Pump HP Remarks: (Gravel packing, cementing) X packers, type of shutoff) Lots 5 and 7 Block 10 Winston, Hontans, Broadwater County INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature

Jan 73
Jo 10

Lency Hails

`•

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Driller's Signature O Needs Contracting Company

uttal Hombana 59701 HCENSE NO........3

Driller's Address 2804 Larvard Lvenuo

Developed after	er January I, 1902		
(Under Chapter 237 Montana	Session Laws, 1961, as amended	Top of Groun	d Elev. above sea level)
by the owner with the County	driller, and three copies to be fill Clerk and Recorder in the county copy to be retained by driller.		
	•	the 0' 1'	Top soil & rock
form may be returned.	not applicable, so state, otherwise t	rne <u>C</u>	TGD SOLL & FOCS
		1' 18'	Rock & gravel
Owner Fillard Whiteh	ead		
	For Administrator's use		Clay with sand
Address Ecumsend Cont	ana File 266 35	35' 40'	Sand, clay, some water
596	47	7	
		40 45	Clay, no water
Date well started 2/2/7	3 GW 1 -5 15 200		
242/7	3	45' 31'	Clay, sand, some water
completed 2 7 2/7	3	91 96'	Coarse sand a water
Type of well Drill	ed		
Type of wen	(Dug, driven, bored or drilled)		
Equipment used Churn	dril1		
•	(Churn drill, rotary or other)	-	
Water Use: Domestic 😥 - Mur	nicipal 🗀 Stock 🗀 Irrigation		<u> </u>
Industrial Cl. Designan	Carden Laure		
Industrial 🗍 Drainage	Other 📑 Garden, Lawn		
*Describe			<u>-</u>
USE: If used for irrigation, inc	dustrial, drainage or other. Expla	aio —	
state number of acres and	location or other data (i.e. Lot, Blo	ock	
and Administral			
and Addition).			
ESTIMATED ANNUAL WITHDRAY	VAL		
Size of Size and From	To		
Orilled Weight (Feet) Hole of Casing	(Feet) PERFORATIONS		
	Kind From Size Feet)	(Feet)	+
6" 5.5/3 od			+
	96' Cutting		
2 .250	 	-,	
i	torch 91' 96		
		-	
N N			
	Static water level 17		
	Pumping water level	6. T	
	atgallons per		
x	measured minutes after		
	began.		
w	*Measured from ground leve	1.	
	Well developed by kailing	m.fcr 2 hrs.	4 numming 3 hrs.
	forhours.	~+	
	PawerPump		
	Remarks: (Gravel packing, cel		
S	packers, type of shutoff)		
S.W . N.W . Sec. 6			
T8			
3	,		
INDICATE LOCATION OF WELL	AND PLACE OF USE, IF POSSIE	SLE	
EACH SMALL SQUARE REPRESE			

9E1 Show exact depth of bottom

81035 Whitehead, Willsed

Sw Mut, Sev. 6, TSN RIE.

TINTE of MONTANA (ss.

sereby certify that the within in-

was filed for record in my

June A. D. 1977 at

15 min. cast 2

2 min. cast 2

3 min. cast 2

4 min. cast 2

-127	-

Approved Stock Form—State Publ	enina Cali Helena.	Mentana -4226
--------------------------------	--------------------	---------------

File No.....

DUPLICATE

County Broads

T 8N R 1E

STATE OF MONTANA ADDINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

DIALE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Under Chapter 207 Montana Session Laws, 1961

	Date of a propriation of Groundwater not applicable
~ ` \	Owner A. W. & A. W. Diehl Address Winston
	Contractor (if any) Lewis Eich
and of the	Address of Contractor Townsend
	Date Started not applicable Date Completed not applicable
N	Describe means of obtaining groundwater without a well "at by sub-irrigation and other natural processes". Include depth to
	water when applicable drain ditch-surface samp
, T	
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
· · · · · · · · · · · · · · · · · · ·	estimate approximate lengths of periods of use
SH K Mad Sec. S. T. SH R1 3	
Indicate point of appropriation and place of use, if possible.	
•	
	Signature of Owner G. W. & Gn. Diff
	Date

This form to be prepared by contractor (if say), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

7.773

37 th 32 13 13 John with the Street

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1952

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

30

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer ail questions. If not applicable, so state, otherwise the form may be returned.

	Owner Walter Murffitt & Lee Reynolds
For Administrator's Use	Address Box 1114 Helena, Montana P.O. Box 972 Helena, Montana
File	Contractor (if any)
- · · · · · · · · · · · · · · · · · · ·	Address of Contractor
GW 1	Date Started Date Completed
	1. Describe means of obtaining groundwater (as by sub-irrigation,
	developed spring, drains, etc.)peveloped apring
<u> </u>	
	2. Means of withdrawing water (gravity, pump, canal, etc.)
	gravity
	3. Depth of water table
,	4. Use of the water ek sub-irrigation
	- Ose of the world
	5. Amount of groundwater claimed (in miner's inches or gallons
	per minute) 20 miner!s inches
SE È SE É Sec qui institu	
	6. If used for irrigation, give number of acres and description
Tuur e n s N R III ê S	of land .16G. Acres
	Si of the Si Section 9 Termenip 8 H Range 1 E
INDICATE POINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.	
Elevation of spring, if known or esti-	7. Estimate amount of water used each year
mated . Tevation estimate	- 20 at 10pla Liches
	3. Months of year spring flows ————————————————————————————————————
	Signature of Owner See Typus

Date Sune 27, 1773

81114

STATE of MORTANA | SS.
County at Broadwater |
Inersely territy that the viting instrument was tied for regard in my office on the 1997 A 1998 at 2 1990 A 19

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION WITHOUT WELL

Developed After January 1, 1962

(Under Chapter 237, Montana Session Laws, 1961, as amended)

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

	And the Control of th
	Cwner Salter Murffitt & Lee Reynolds
For Administrator's Use	Address Box 1144 P. C. Box 972 Helena, Montana Helena, Montana Contractor (if any)
	Address of Contractor
GW 1	Date Started
	1. Describe means of obtaining groundwater (as by sub-irrigation,
	developed spring, drains, etc.) .paveloped spring
N	
***************************************	2. Means of withdrawing water (gravity, pump, canal, etc.)
	3. Depth of water table3
	4. Use of the water .Stock & sub-fref gation
	5. Amount of groundwater claimed (in miner's inches or gallons
<u> </u>	per minute) 20 miner - Inches
NBL of the NBC Sec. 9	5. If used for irrigation, give number of acres and description
	of land locatores
NDICATE FOINT OF APPROPRIATION AND PLACE OF USE, IF POSSIBLE.	"Without the Brit Section 9 Township 6 M Range 1 E
flevation of spring, if known or esti-	7. Estimate amount of water used each year
nated <u>levation</u> estimated	20 miner's inches
-approx1200-ft.	Months of year spring flows - year
	west different of
	Signature of Owner. The territory
	Date June 27, 1973

- c: " "..."

81112

STATE of MONTANA | sa. I horsely certify that the within as-Horsey certify that the within and the within and the was filed for report in my day of gune A.O. 1923 at 56 min past 2


scoock B. M. Sance Specier

By a Linear Soncy

DUPLICATE



File No.....



STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

ALL ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Under Chapter 237 Montana Session Laws, 1961.

	Date of Appropriation of Groundwater
	Owner Albert Diehl Address Ainston
	Contractor (if any)
	Address of Contractor
	Date Started Date Completed
8	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
	F
	Quartity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	stock water-app. 3 inches estimate approximate lengths of periods of use
SW NEC. Sec21. T.SK. RIE	
Indicate point of appropriation and place of use, if possible.	
	Signature of Owner 2 W 2. N. Duill Date Dec. 27-6-
	Date Dec 27-6

This form to be prepared by contractor vif any , otherwise by the owner.

Three copies of this notice are to be filled with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: implicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Machiner 63

Associated 63

Associated frame Street

DUPLICATE

Broadwater Country

Billings

ADMINISTRATOR OF GROUNDWATER CODE STATE OF MONTANA

OFFICE OF STATE ENGINEER

Declaration of **Vested Groundwater Rights**

(Under Chapter 237. Montana Session Laws, 1961) STATE THE RELEASE

County of	(Name of Appropriator Yellows tone		(Address) State of Montans	(Toven)
have appropriately	priated groundwater a	ccording	to the Montana laws in effect prior to J	anuary 1. 1962, as fol-
	N	-? 	The beneficial use on which the claim is be recreational purposes	
		3.	Date or approximate date of earliest benefiting the use has been August 10, continuous use	1960
	E	ŧ.	The amount of groundwater claimed (in m per minute) 20 gallons per minute	
X	S	5.	If used for irrigation, give the acreage lands to which water has been applied a thereof Not used for irrigation	nd name of the owner
SW Li S	Sec.26 TSM R IE			

1. United States of America Box 2353

Each small square represents 10 location of each well or other means of withdrawal acres. Hand lift pump

6. The means of withdrawing such water from the ground and the

- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater wall started July 28, 1960 - completed July 19, 1960
- 32' 8. The depth of water table

Indicate point of appropriation and place of use, if possible.

- 9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 6" pipe - 32! in depth
- 10. The estimated amount of groundwater withdrawn each year

...

- 11. The log of formations encountered in the drilling of each well if available

 0' 5' top soil and gravel, 5' 15' large gravel and boulders,

 15' 29' hard pan, 29' 31' gravel and clay, 31' 32' clean gravel.
- 12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. This water is used for domestic, household, stock watering and similar uses by employees of the United States, its sgents, and the public in connection with operation of the recreational facilities at the Canyon Ferry Federal Reclassion Project.

United States of America Signature of Owner & Kurkin America For Regional Mirector, Region 6, Bureau of Reclamation
Date December 18, 1968

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the School of Mines and Quadruplicate for the Appropriator.

750

Joseph Land Tangel

T 8N R IE

DUPLICATE

File No.

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

ET LIE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

		Date of Appropriation of Groundwater
		Owner Albert Diehl Address Winston
		Contractor (if any)
		Address of Contractor
		Date Started Date Completed
	N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
		water when applicable open springs
11.	r r	
	x x	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	SEL SWI SW USE E Sec31 T. CM. R. IE	estimate approximate lengths of periods of use yearly
	indicate point of appropriation and place of use, if possible.	
_		Signature of Owner Abbert & Life
		Date

This form to be prepared by contractor if any , otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Micema 27 the 1.3

-

Page ___of___

County Broadwater Two. 3N Rge. 2E

Sec.	Name of	Appropriator	Type of For	County m File No.	Remarks
1	Disher	, Julia Ross	6 WH	69379	
-		Wayne K.	GW3		A150 Sec. 3, 8, 9
3	1 ymas	11 11	6W4	68620	
3	11	7 /1	4	68619	:
3	"	" "	4	68621	!
3	7	Laind & Wayne		63596	
	"	Laird & wayne	6 N 3	70836	
4	Plymale	. wayne K.	7	68623	
11	111	haird	GV N	68598	
11	11	11	4	68597	
14	Chamber	Vain, Lyle B.	4	68654	
14		ere Ranch Co.			11 Sea tions
21		Hubert A.			
		na Ann	GW H	70297	
21	1	Hubert A. at 4x	70	10298	
23		Poval	GW H	70715	
23	Thomas	n, James & Peggy	EW 3	81101	
23	11	11 1/1	.3	73795	
34	Plymale	Fred E.	GW H	70864	
•	Marks	1	GW 2		
				<u> </u>	
					:
ļ					
				1	
			1		
	1				
1			1	i	
!				<u> </u>	
				!	:

County Indadester

DUPLICATE

STATE OF MONTAN ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Julia	Ross Jurgan			formsend, M	ontana	
	Name of Appropria			Address		(Town)
	Broadwater priated groundwater					1 1969 at fallame
mare abbioi	bringed groundwater	according	to the Brontana	taws in effect pr	or to sanuary	1, 1362. as 1010ws
		1 .				
		-		e on which the cl		
		,	Data de anneneis	nata data of anul	iact hanaffaial	use; and how con
						use; and now con
		4				
· · · · · · · · · · · · · · · · · · ·		+.				's inches or gallon
			•			
		1 .				
	5	5.				ription of the land the owner thereo
	· ·					***************************************
L ₄ Sec	alan T akka R ala Ó					
cate point	of appropriation use if possible.					***************************************
	are represents 10	6.	The means of u	uthdrawing such	water from	the ground and the
·s.	•		the premise of a			8
			location of each	well or other me	ans of withdr	awal
			location of each	well or other me	ans of withdr	awal
			location of each	well or other me	ans of withdr	awal
The date o	ommencement and		location of each	well or other me r.will be p p. Jet Pump	ans of withdrumped wit	awal
	ommencement and	completion	the wate	well or other me r.will be p p. Jet. Pump tion of the well	ans of withdrumped wit	awal
drawal of g	commencement and groundwater This	completion	the water water wall pume of the construction drilled t	well or other me r.will be p p. Jet Pump tion of the well he first we	ans of withdrawick with the wind with the wills, or other with the wills, or other with the w	awal
drawal of g	groundwater This iapth of 58 ft	completion	the wate	well or other me r.will be p p. Jet Pump tion of the well he first we	ans of withdrawick with the wind with the wills, or other with the wills, or other with the w	awal
drawal of g	groundwater . Inis	completion	the wate	well or other me r.will be p p. Jet Pump tion of the well he first we	ans of withdrawick with the wind with the wills, or other with the wills, or other with the w	awal
drawal of g	groundwater This. iapth of 58 ft. of water table. 10	completion	the wate	well or other me r.will be p p. Jet Pump tion of the well he first we	week of withdrawers or other services of Sep	awal
drawal of g	groundwater This iapth of 58 ft	completion well was ft. he type, si	the water the water the water the water the construction of the construction drilled the drilled the water the drilled the water the wat	well or other me rewill be p p. Jet Pump tion of the well he first we each well or the seach well or t	wells, or other specific controls and specific controls are specif	awal
drawal of g	of water table 10 t may be available, the withdrawal of great	completion well well well well well well well wel	the water wall pum of the construction drilled to the and depth of	well or other me will be p p. Jet Punp tion of the well he first we each well or the	wells, or other specific speci	awal. h. a. deep her works for with tember 1962 cations of any othe
drawal of g	roundwater This. iapth of 58 ft. of water table 10 t may be available, the withdrawal of gro	completion well se	the water wall pume of the construction of the construction drilled to the and depth of	well or other me r. will be p p. Jet Pump tion of the well he first we each well or the	wells, or other specific speci	awal. h. 2. deep ner works for with tember 1962 cations of any othe
drawal of g to a The depth So far as it works for t	of water table 10 t may be available, the withdrawal of gro	completion well se	the wate well pum of the construction of the construction drilled to the and depth of	well or other me	wells, or other specific	awal. h. a. deep. her works for with tember 1962. cations of any othe
drawal of g to a The depth So far as it works for t	roundwater This. iapth of 58 ft. of water table 10 t may be available, the withdrawal of gro	completion well se	the wate well pum of the construction of the construction drilled to the and depth of	well or other me	wells, or other specific	awal. h. a. deep. her works for with tember 1962. cations of any othe
drawal of g	of water table 10 t may be available, the withdrawal of gro	ft. he type, si	the water the water well pum of the construct drilled to the and depth of	well or other me	wells, or other specific	awal. h. a. deep ner works for with tember 1962 cations of any othe
drawal of g to a c The depth So far as it works for t	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amou	ft. he type, si oundwater.	the wate wall pum of the construct drilled to the and depth of the and dep	well or other me	wells, or other specific	awal. h. a. deep ier works for with tember 1962 cations of any othe
drawal of g	of water table 10 to may be available, to the withdrawal of grounded amount of grounded amount of grounded and the afew boulded.	ft. ft. he type, significantly distance with the control of the	the wate wall pum of the construction of the c	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the g well if available t.gravel an	wells, or other specific clay to	awal. h. a. deep ner works for with tember 1962 cations of any othe mixed with 51 ft.
drawal of g to a c The depth So far as it works for t The estimat The log of clay wit rock to	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded after boulded after a few boulded.	ft. ft. he type, sicoundwater with the control of	beation of each the wate well pum of the construct drilled t ze and depth of drilling of each drilling of each at least	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the g well if available t.gravel an	wells, or other specific clay to	awal. h. a. deep ner works for with tember 1962 cations of any othe mixed with 51 ft.
drawal of g to a c The depth So far as it works for t The estimat The log of clay wit rock to	of water table 10 to may be available, to the withdrawal of grounded amount of grounded amount of grounded and the afew boulded.	ft. ft. he type, sicoundwater with the control of	beation of each the wate well pum of the construct drilled t ze and depth of drilling of each drilling of each at least	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the g well if available t.gravel an	wells, or other specific clay to	awal. h. a. deep ner works for with tember 1962 cations of any othe mixed with 51 ft.
drawal of g to a c The depth So far as it works for t The estimat The log of clay, wit rack to	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded after boulded amount of a similar mation o	ft. ft. he type, sioundwater will make	becation of each the wate well pum of the construct drilled t as and depth of drilling of each at least as may be useful	well or other me r.will be p p. Jet Pump tion of the well he first we each well or the a well if available t.cravel an 20 cal per i in carrying out	wells, or other of Seperal specific clay to min. By	awal. h. s. deep her works for with tember 1962 cations of any othe mixed with 51 ft. bailer.
drawal of g to a c The depth So far as it works for t The estimat The log of clay wit rack to	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded after boulded at the seconder of the s	ft. ft. he type, sioundwater will make	becation of each the wate well pum of the construct drilled t as and depth of drilling of each at least as may be useful	well or other me r.will be p p. Jet Pump tion of the well he first we each well or the a well if available t.cravel an 20 cal per i in carrying out	wells, or other of September of	awal. h. a. deep. her works for with tember 1962 cations of any othe mixed with 51 ft. bailer.
drawal of g to a f The depth So far as it works for t The estimat The log of clay, wit rock, to Such other reference to	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded amount of grounded and farmations encounter the afew boulded amount of a simple book and page of an amount of a simple book and amount of a simple book and a simple book an amount of a simple book and a simple b	ft. ft. he type, sioundwater will make	the water wall pum of the construct drilled to drilled to drilled to drilling of each drilling of each at least as may be useful ecord.	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the p well if available reavel an 20 cal per i in carrying out	wells, or other of September of	mixed with 51 ft. bailer.
The depth So far as it works for t The estimat The log of clay, wit rock to Such other	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded amount of grounded and farmations encounter the afew boulded amount of a simple book and page of an amount of a simple book and amount of a simple book and a simple book an amount of a simple book and a simple b	ft. ft. he type, significant water with the type oundwater with the type ounty is county to the type ounty is county to the type ounty is county to the type ounty is county type ounty t	becation of each the wate well pum of the construct drilled t as and depth of drilling of each at least as may be useful ecord	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the g well if available t.gravel an 20 gal per i in carrying out	wells, or other of Seperal specific clay to min. By	awal. h. s. deep ner works for with tember 1962 cations of any othe mixed with 51 ft. bailer. f this act, including
drawal of g to a f The depth So far as it works for t The estimat The log of clay, wit rack to Such other reference to	of water table. 10 t may be available, the withdrawal of grounded amount of grounded amount of grounded amount of grounded and farmations encounter the afew boulded amount of a simple book and page of an amount of a simple book and amount of a simple book and a simple book an amount of a simple book and a simple b	ft. ft. he type, significant water with the type oundwater with the type ounty is county to the type ounty is county to the type ounty is county to the type ounty is county type ounty t	becation of each the wate well pum of the construct drilled t as and depth of drilling of each at least as may be useful ecord	well of other me r.will be p p. Jet Pump tion of the well he first we each well or the g well if available t.gravel an 20 gal per i in carrying out	wells, or other of Seperal specific clay to min. By	awal. h. s. deep her works for with tember 1962 cations of any othe mixed with 51 ft. bailer.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned,

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

STATE AND STATE OF ST

County Broscipeter

DUPLICATE

JW :

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE 324 3 1963 OFFICE OF STATE ENGINEER STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

Under Chapter 237 Montana Session Laws, 1961

r on the following lons. Part of	Owner Wayne E. Flymale Address Tomsend, Won
ion one, Section three, ion mine, Section eight,	Contractor (if any)
atternation of North e ? East, Also	Address of Contractor
ion six in Township it North, Range 3 East.	Date Started Date Completed
re notes, name ; save.	Describe means of obtaining groundwater without a well "as I sub-irrigation and other natural processes". Include depth
	water when applicable
	Springe and Sub Irrigation
-	
v	F
	Quantity of water developed and used with explanation of methoused to measure or estimate such amount. If use is intermitted
	estimate approximate lengths of periods of use
	Sub Irrigation in Season and For Stock
Indicate point of appropriation and place of use, if possible.	Year Around.
	つし マャ
	Signature of Owner Wryses No. Symples Date Goomber 30th 196

Three copies of this notice are to be filed with the County Clark and Recorder of the county in which the

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recomment duplicate to the State Engineer, Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

70635

STATE OF MONTH

I herely certife that the water

I hereby certife that the winds

strument was filed for record

office on the AD 1923

The product of the Advance of the Advan

File No.

DUPLICATE

T8N R2 =

County Breadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Wayni H Plymale (Name of Appropriato	 	of	actions (d	(Town)
County of Breakwater	r)	Z**** *	(Address)	<u> </u>	(Iown)
have appropriated groundwater a lows:	according	to the Montar	na laws in effec	t prior to Januar	ry 1, 1962, as fel-
· i	<u>.</u>			e claim is based	
	3. 1	Date or approxi	mate date of ea		ise: and how con-
ε					
			_		inches or gallons
	5 , 1	lf use d for irri	gation, give th	e acreage and d	escription of the
S	ì	lands to which thereof	water has beer	applied and na	me of the owner
EL Sec. 3 T 84 R2 5	,	·	Laure	ン · ·	
ndicate point of appropriation nd place of use, if possible. Lach small square represents 10 cres.		location of each	well or other	means of withdra	e ground and the
The date of commencement and drawal of groundwater				ell, wells, or other	
The depth of water table 3.2	ft.	sotal a	legith 40	ext.	
So far as it may be available, the			each well or	the general spec	ifications of any
other works for the withdrawal o	of ground	water Dril	the bear	casing	40 ft
			,		
The estimated amount of ground	water wi	ithdrawn each j	year & CO	,000 gal	•
The log of formations encountered	d in the o	irilling of each	well if availabl	e Tan-ailah	
Such other information of a simil	iar nature	e as may be use	ful in carrying o	out the policy of t	this act. including
reference to book and page of any	y county	record _	noil		
				V	~ P)
		Signa	ture of Owner	Mayre,	H. Plym , 20,176.
			מ	ate yet	g Lughtla
red copies to be filed by the owner sated.	with the	e Courty Clerk	and Recorder o	of the county in	which the well is

Please answer an questions. If not applicable, so state, otherwise the form will be returned

Original to the County Clerk and Recorder: implicate to the State Engineer: Triplicate to the School of Mines and Quadruplicate for the Appropriator

sicher Mari Steue

`.

١,

File No. .

DUPLICATE

TON RIF

Councy Broadwate

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE GFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

1 Warger It Plymale			of.		Tay	nearl	
(Name of Appropriator)				(Address)	•		(Town)
County of have appropriated groundwater accordings:	ordin	ig to t	State the Monta	of Michigan	effect prio	r to January	i. 1962, as fol-
N .	2.	The b	peneficial	use on whu	ch the clai	n is based	· · · · · · · · · · · · · · · · · · ·
	Э.			imate date o			e: and how con-
WE		يج	uni.	1943	1595	anti	and to
	4.		imount of ninute)			in miner's iا استسور س	nches or gallons
	_						
s	Э.	lands there	to which	water has	been appl	age and desied and nam	scription of the se of the owner
SE4 Sec.3. TSMRJE					** !		
Indicate point of appropriation and place of use, if possible.	6	The	means of	withdrawing	such wat	er from the	ground and the
Each small square represents 10 acres.	J.	lccati	ion of eac	h well or ot	her, means	of withdraw	~
		•					
7. The date of commencement and condrawal of groundwater	nplet	ion of	the const	ruction of tl سع مير ايد	he well, we	ils, or other	works for with-
8. The 2 pth of water table 3 5 4	fr.	かさ	مريخ المريخ	C 77 16	e et.		
9. So far as it may be available, the ty other works for the withdrawal of g				f each well dus	or the ge	enerai specif	ications of any
10. The estimated amount of groundwa	iter v	withdra	awn each	year 3	15,00	٠,٠ -	ne
II. The log of formations encountered in	n the	drillir	ng of each	well if ava	iilable		
		_	راد المستجدامة	- milai			
12. Such other information of a similar reference to book and page of any co					r.g out the	e policy of th	is act, including
							· · · · · · ·
			Sign	ature of Ov	wner Hay	me X	Dlymal 20, 1962
Three copies to be filed by the owner we located	itn ti	he Cou			<i>y</i>		

Please ar over all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the School of Mines and Quadruplicate for the Appropriator. - .

6.56.19

In Journal Lines

٠.

File No.

DUPLICATE

TUN R LE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Maria & Dlynd	,	of IT	- www.end		
1. Wayni X Dlynsti Name of Appropriator	r)	Add	ress)	(Tow)	n)
County of Brandwater		State of 2	Jantanea		
have appropriated groundwater a lows:	ccording	to the Montana law	s in effect prior to	January 1, 190	62. as fol-
v .	2. 1	The beneficial use on	which the claim i	s based	
		Stoir u		Company of the second	
		Date or approximate of			
	t:	inuous the use has be	een 1957		
E					
		The amount of ground			or gailons
	ą	er minute) 70	gala. Pira	mule.	
Figure (per -1% Villing automotive for the figure of management with the automotive villing and the control of	5 . [f used for irrigation	, give the acreage	and descripti	ion of the
š	l:	ands to which water	has been applied	and name of	the owner
SEV. Sec. 3 TENRIE	ti.	nereoi	الركيد و حالي المستداد	Ly Carrie	
Indicate point of appropriation and place of use, if possible.	6 1	The means of withdra	uwing such water f	rom the moute	ad and the
Each small square represents 10		ocation of each well	or other means of	withdrawal	
acres.		. A star	purp		
7. The date of commencement and odrawal of groundwater	ompletion	texted up	from Wells. Wells.	pr other works	s 100 with-
8. The depth of water table 3	ft.				44 · •
9. So far as it may be available, the	type, size	and depth of each	well or the gener	al specificatio	ons of any
other works for the withdrawal of	groundy	water 2	Pin they	~~~	
					* * *****
	1				
0. The estimated amount of groundy	vater wi	hdrawn each year	50,000 ga	C.	5 - A
1. The log of formations encountered	in the di	rilling of each well i	f available		
		mar Eu	vailable.		
					The second second
2. Such other information of a simila				licy of this act	, including
reference to book and page of any	county r	record.			
		Signature o	of Owner Way	-X. 8	Plymale
		•	Date	ril 200	1962
Targe copies to be filed by th€ owner:	egannia tha		•		
cared:		Contract of the state of the	conder of the total	masy in windhal i	

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk, and Recorder: du, crate to the State Engineer: Triplicate to the School of Mines and Quadruplicate, for the Appropriator.

Jetty h Jely

DUPLICATE

T R =

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

(Name of Appropriator	هـــ تـــــــه. }	of (Address)	(Town)
County of	,	(Address) State of	(LOWII)
have appropriated groundwater aclows:	cordi	ng to the Montana laws in effect prior	to January 1, 1962, as fo
N	2	The beneficial use on which the claim	is based
		and the second of the second o	
	3.	Date or approximate date of earliest be tinuous the use has been	
Ε			
	4.	The amount of groundwater claimed (i	n miner's inches or gallo
and the contract of the contra		per triinute)	
X	5.	If used for irrigation, give the acreal lands to which water has been applied	ge and description of the and name of the own
_			*****
Suy Sec. 4 TRNR25			
ndicate point of appropriation nd place of use, if possible.			
ach small square represents 10	6.	The means of withdrawing such water	_
cres.		location of each well or other means o	
drawal of groundwater		ion of the construction of the well, well	s, or other works for wit
drawal of groundwater		ion of the construction of the well, well	s, or other works for wit
drawal of groundwater The depth of water table So far as it may be available, the t	ype, s	ion of the construction of the well, well	s, or other works for wit
The depth of water table So far as it may be available, the tother works for the withdrawal of	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of	ype, s	ion of the construction of the well, well- ize and depth of each well or the gen- idwater	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of	ype, s	ion of the construction of the well, well- ize and depth of each well or the gen- idwater	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundwise	type, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundwith	type, s groun	ize and depth of each well or the gendwater withdrawn each year drilling of each well if available	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered	ype, s groun	ize and depth of each well or the gendwater withdrawn each year drilling of each well if available	eral specifications of a
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered Such other information of a simila	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater withdrawn each year drilling of each well if available re as may be useful in carrying out the p	eral specifications of an
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater withdrawn each year drilling of each well if available re as may be useful in carrying out the processor.	eral specifications of an
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered Such other information of a simila	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater withdrawn each year drilling of each well if available re as may be useful in carrying out the precord	eral specifications of an
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered Such other information of a similal reference to book and page of any	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater withdrawn each year drilling of each well if available re as may be useful in carrying out the precord	eral specifications of ar
The depth of water table So far as it may be available, the tother works for the withdrawal of The estimated amount of groundw The log of formations encountered Such other information of a similal reference to book and page of any	ype, s groun	ion of the construction of the well, well- ize and depth of each well or the gen- idwater withdrawn each year drilling of each well if available re as may be useful in carrying out the precord	eral specifications of an

knres when to be tiled by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the School of Mines and Quadruplicate for the Appropriator.

1.8